Mandatory Public Disclosure

APPENDIX -IX

A : GENERAL INFORMATION :

| SL No. | INFORMATION | DETAILS |
|--------|-----------------------------------|---|
| 1 | NAME OF THE SCHOOL | CENTRE POINT SCHOOL |
| 2 | AFFILIATION NO.(IF APPLICABLE) | 1130064 |
| 3 | SCHOOL CODE (IF APPLICABLE) | 30046 |
| 4 | COMPLETE ADDRESS WITH PIN CODE | WARDHAMAN NAGAR NAGPUR MAHARASHTRA, NAGPUR, MAHARASHTRA - 401501 |
| 5 | PRINCIPAL NAME | MRS.KANCHAN UKEY |
| 6 | PRINCIPAL QUALIFICATION | M.SC. B.Ed |
| 7 | SCHOOL EMAIL ID | cpswn@centrepointschools.com |
| 8 | CONTACT DETAILS (LANDLINE/MOBILE) | 7447408117 |

B : DOCUMENTS AND INFORMATION:

| SL No. | DOCUMENTS/INFORMATION | LINKS OF UPLOADED DOCUMENTS ON YOUR SCHOOL'S WEBSITE | |
|--------|--|--|--|
| 1 | COPIES OF AFFILIATION/UPGRADATION LETTER AND RECENT EXTENSIONOF AFFILIATION, IF ANY | Link | |
| 2 | COPIES OF SOCIETIES/TRUST/COMPANY REGISTRATION/RENEWAL CERTIFICATE, AS APPLICABLE | Link | |
| 3 | COPY OF NO OBJECTION CERTIFICATE (NOC) ISSUED, IF APPLICABLE, BYTHE STATE GOVT./UT | Link | |
| 4 | COPIES OF RECOGNITION CERTIFICATE UNDER RTE ACT, 2009, AND IT'SRENEWAL IF APPLICABLE | Link | |
| 5 | COPY OF VALID BUILDING SAFETY CERTIFICATE AS PER THE NATIONALBUILDING CODE | Link | |
| 6 | COPY OF VALID FIRE SAFETY CERTIFICATE ISSUED BY THE COMPETENTAUTHORITY | Link | |
| 7 | COPY OF THE DEO CERTIFICATE SUBMITTED BY THE SCHOOLFORAFFILIATION/UPGRADATION/EXTENSIONOFAFFILIATIONOR SELFCERTIFICATION BY SCHOOL | Link | |
| 8 | COPIES OF VALID WATER, HEALTH AND SANITATION CERTIFICATES | Link | |

NOTE: THE SCHOOLS NEEDS TO UPLOAD THE SELF ATTESTED COPIES OF ABOVE LISTED DOCUMETNS BY CHAIRMAN/MANAGER/SECRETARY AND PRINCIPAL. INCASE, IT IS NOTICED AT LATER STAGE THAT UPLOADED DOCUMENTS ARE NOT GENUINE THEN SCHOOL SHALL BE LIABLE FOR ACTION AS PER NORMS.

C : RESULT AND ACADEMICS :

| SL No. | DOCUMENTS/INFORMATION | LINKS OF UPLOADED DOCUMENTS ON YOUR SCHOOL'S WEBSITE |
|--------|-----------------------|--|

| SL NU. | DOCUMENTS/INFORMATION | LINKS OF OILOADED DOCUMENTS ON TOUR SCHOOL S WEDSITE |
|--------|--|--|
| 1 | FEE STRUCTURE OF THE SCHOOL | Link |
| 2 | ANNUAL ACADEMIC CALENDER | Link |
| 3 | LIST OF SCHOOL MANAGEMENT COMMITTEE (SMC) | Link |
| 4 | LIST OF PARENTS TEACHERS ASSOCIATION (PTA) MEMBERS | Link |
| 5 | LAST THREE-YEAR RESULT OF THE BOARD EXAMINATION AS PERAPPLICABILITY | Link |

^{6/22/2021} D : STAFF (TEACHING) :

| SL No. | INFORMATION | DETAILS | |
|--------|--|------------------|--|
| 1 | PRINCIPAL | MRS.KANCHAN UKEY | |
| 2 | TOTAL NO. OF TEACHERS | 110 | |
| | PGT | 12 | |
| | TGT | 45 | |
| | PRT | 53 | |
| | | | |
| 3 | TEACHERS SECTION RATIO | 1.1:5 | |
| 4 | DETAILS OF SPECIAL EDUCATOR | AJITA DHABHADE | |
| 5 | DETAILS OF COUNSELLOR AND WELLNESS TEACHER | BHAGWAN KARGOKAR | |

RESULT CLASS: X

| SL No. | YEAR | NO. OF REGISTERED STUDENTS | NO. OF STUDENTS PASSED | PASS PERCENTAGE | REMARKS |
|-----------|------|----------------------------------|------------------------------|-----------------|--|
| 1 | 2025 | 178 | 178 | 100% | The school has always given the best of board result and has the vision to give excellence in education. |

RESULT CLASS: XII

| SL No. | YEAR | NO. OF REGISTERED STUDENTS | NO. OF STUDENTS PASSED | PASS PERCENTAGE | REMARKS |
|-----------|------|----------------------------------|------------------------------|-----------------|--|
| 1 | 2025 | 123 | 120 | | The school has always given the best of board result and has the vision to give excellence in education. |

E : SCHOOL INFRASTRUCTURE:

| SL No. | INFORMATION | DETAILS | |
|--------|---|------------------------------|--|
| 1 | TOTAL CAMPUS AREA OF THE SCHOOL (IN SQ MTR) | 66020 | |
| 2 | NO. AND SIZE OF THE CLASS ROOMS (IN SQ MTR) | 80 (504 SQ.MTR) | |
| 3 | NO. AND SIZE OF LABORATORIES INCLUDING COMPUTER LABS (IN SQ MTR) | 06 (3024SQ.MTR) | |
| 4 | INTERNET FACILITY | YES | |
| 5 | NO. OF GIRLS TOILETS | 36 | |
| 6 | NO. OF BOYS TOILETS | 50 | |
| 7 | LINK OF YOUTUBE VIDEO OF THE INSPECTION OF SCHOOL COVERING THEINFRASTRUCTURE OF THE SCHOOL | https://youtu.be/99cANZeGyIU | |